

Professional 55 litre wet/dry vacuum cleaner with high suction power

The LSU 155 is a wet/dry professional vacuum cleaner, it is easy to use, robust and has optimal suction power.






The LSU product family has a modular design with different tank capacities and motor quantities. Tank capacity for LSU 155 is 55 litres and it has one motor. You can choose stainless steel tank or red plastic tank. It has a drain hose mounted and you can easily empty the tank without taking off the motor. It has large rear wheels and rotating front wheels which makes it light and easy to manoeuvre. As standard, the machine is delivered with the following accessories: crevice tool, round dusting brush, wet pick-up tool and dry pick-up tool.

- Easy to use and service
- Optimal suction power
- Robust chassis
- Drain hose
- Large rear wheels and rotating front wheels
- Cable storage & Accessory storage
- For wet or dry vacuum applications



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	LSU155-UK	LSU155P-UK
Nozzle					
	DRY PICK-UP TOOL	VA80036	1	•	•
Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	•	•
Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	•	•
Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•
Filter					
	55L ABSORBING DUST FILTER	VA80119	1	•	•
Tube					



Professional 55 litre wet/dry vacuum cleaner with high suction power

Included accessories		Ref. no.	Min. required	LSU155-UK	LSU155P-UK
	SUCTION TUBE ASSEMBLY	VA80400	1	•	•
	WAND ASSEMBLY	VA80711	1	•	•

Model LSU155-UK LSU155P-UK

Ref. no. 50000120 50000121



PRODUCT FEATURES

Recovery emptying hoses	•	•
Easy-to-carry handle	•	•

Technical specifications LSU155-UK LSU155P-UK










Vacuum motor type	2-stage	2-stage
Voltage (V)	220-240	220-240
Frequency (Hz)	50-60	50-60
IP protection class	X4	X4
Rated power (W)	1000	1000
Max. airflow (m³/h - l/min.)	150/2500	150/2500
Vacuum (mm H2O)	2115	2115
Sound pressure level (dB(A))	74	74
Cable length (m)	7/orange	7/orange
Tank capacity (l)	55	55
Length x width x height (cm)	63.4x58.6x94.8	63.4x58.6x94.8
Weight (kg)	22	22

• Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	LSU155-UK	LSU155P-UK
Tube					
	SUCTION TUBE ASSEMBLY	VA80400	1	•	•
	WAND ASSEMBLY	VA80711	1	•	•
Nozzle					



Professional 55 litre wet/dry vacuum cleaner with high suction power

Accessories		Ref. no.	Min. required	LSU155-UK	LSU155P-UK
	DRY PICK-UP TOOL	VA80036	1	•	•
Vac Nozzle Wet					
	WET PICK-UP TOOL	VA80853	1	•	•
Crevice Nozzle					
	CREVICE TOOL Ø 38 MM	VA20806	1	•	•
Squeegee, Blade, Skirt and Splash Guard					
	BLADE STRIP 38MM	VA86700	1	○	○
Filter					
	55L ABSORBING DUST FILTER	VA80119	1	•	•
	FILTER WET LSU255/275/296	VA81342	1	○	○
Round Brush Nozzle					
	DUSTING Ø 38 MM	VA20803	1	•	•
Bag					
	DUST BAG MICROFIBER 50L PACK 10PCS	VA82059-P10	1	○	○
Other					
	TROLLEY FIXED SQUEEGEE KIT 69CM	VA87704	0	○	

