




PRICE LIST AP

ACCESSORIES - SPARE PARTS

INDUSTRIAL VACUUM CLEANERS





INDEX

Hose fittings	5	Brushes replacements	30
Hose reducers	6	Cyclonic deflectors	31
Hose junctions.....	7	Grates and valves	31
Hose extenders	7	Disposal bag vacuum balance systems.....	32
Bifurcations and trifurcations	8	Swarf baskets	32
Other hose fittings	10	Baskets for vacuuming performances	33
Other reducers	11	Preseparators	34
Other extensions.....	11	Preseparator lids.....	42
Air exhaust hose fittings	12	Dust bins.....	44
Quick connections.....	13	Dust bin accessories.....	48
Hoses and sleeves.....	14	Single phase vacuum units and related spare parts	49
Hose clamps	18	Primary star filters	50
Hose supports	18	Primary bag filters.....	52
Handgrips	19	Filter rings.....	54
Extensions	20	Filter gaskets.....	55
Scrapping and probe nozzles	21	Filter clamps	55
Floor nozzles	22	Primary cartridge filters	57
Floor nozzles replacements	23	Absolute filter replacement cartridges	58
Rubber and silicone cones.....	24	Upstream absolute filter fitting accessories	59
Rubber and silicone suction nozzles	24	Upstream absolute filter kits.....	60
Rubber and silicone bent nozzles.....	25	Vacuum dust extraction arm with hood.....	61
Flat crevices.....	26	Endless bag replacements	63
Brushes.....	28	Paper bag replacements	63

LEGENDA



Accessories



Spare parts



Description



523495761

Item number



Food grade

EC: EU normative

FDA: US normative



Conductive (ATEX advised)

L

Length in millimeters








Ø

Diameter in millimeters








P


Position








	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Zinc finish steel hose fitting	1		40	900040	
				50	900041	14,70
				70	900042	19,13
				100	900043	37,63
	<i>AISI 304 stainless steel hose fitting</i>	2	X	40	900044	31,25
				50	900045	33,75
				70	900046	42,71
				100	900047	82,92
	Sealed and zinc finish hose fitting	3		70	900073	32,66
				100	900074	67,79
				125	900076	80,34
	Zinc finish with 90° elbow hose fitting	4		50	900056	50,88
				70	900058	72,76
				100	900190	102,93
	<i>AISI 304 stainless steel with 90° elbow hose fitting</i>	5	X	50	900057	92,38
				70	900059	107,90
				100	900121	200,66
	Zinc finish steel hose fitting with air inlet adjustment	6		40	900048	57,74
				50	900049	60,73
				70	900050	72,76
				100	900051	87,85
	<i>AISI 304 stainless steel hose fitting with air inlet adjustment</i>	7	X	40	900052	72,76
				50	900053	75
				70	900054	105,41
				100	900055	140,56



	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Zinc finish steel hose fitting reducer	8		50/40 70/40 70/50 100/50 100/70	900003 900004 900005 900007 900008	
	<i>AISI 304 stainless steel hose fitting reducer</i>	9	X	50/40 70/40 70/50 100/50 100/70	900010 900011 900012 900013 900014	
	Sealed zinc finish reducer	10		100/76	900304	
	Zinc finish reducer with 90° elbow hose fitting	11		50/40 70/50 70/63 100/70	900081 900061 900186 900151	
	<i>AISI 304 stainless steel reducer with 90° elbow hose fitting</i>	12	X	50/40 70/50 70/63 100/70	900271 900273 900274 900275	
	Zinc finish steel hose fitting reducer with air inlet adjustment	13		50/40 70/40 70/50 100/50 100/70	900018 900019 900020 900022 900023	
	<i>AISI 304 stainless steel hose fitting reducer with air inlet adjustment</i>	14	X	50/40 70/40 70/50 100/50 100/70	900025 900026 900027 900028 900029	





	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Zinc finish steel hose junction	15		40	900062	
				50	900063	
				70	900064	
				100	900065	
	<i>AISI 304 stainless steel hose junction</i>	16		40	900067	
				50	900068	
				70	900069	
				100	900070	
	Zinc finish steel hose extender	17		40/50	900188	
	<i>AISI 304 stainless steel hose extender</i>	18	X	40/50	900215	










	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	Zinc finish steel bifurcation	19		40/40/40	900084	
				50/50/50	900086	
				70/70/70	900090	
				100/100/100	900097	
	<i>AISI 304 stainless steel bifurcation</i>	20	X	40/40/40	900103	
				50/50/50	900104	
				70/70/70	900105	
				100/100/100	900106	
	Zinc finish steel bifurcation with air inlet adjustment	21		50/50/50	900201	
				70/70/70	900202	
				100/100/100	900203	
	<i>AISI 304 stainless steel bifurcation with air inlet adjustment</i>	22	X	50/50/50	900207	
				70/70/70	900208	
				100/100/100	900209	
	Zinc finish steel bifurcation with air inlet adjustment	23		70/70	900291	
	Zinc finish steel trifurcation	24		70/40/40/40	900224	
	<i>AISI 304 stainless steel trifurcation</i>	25	X	70/40/40/40	900264	









	“ ≡ ”	P	Ex	∅ (mm)	523495761	£			
	Zinc finish steel bifurcation with reducer	26		50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900085 900088 900089 900095 900096				
	<i>AISI 304 stainless steel bifurcation with reducer</i>		27	X	50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900107 900108 900109 900110 900111			
	Zinc finish steel bifurcation with reducer and air inlet adjustment			28		50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900102 900101 900100 900098 900099		
	<i>AISI 304 stainless steel bifurcation with reducer and air inlet adjustment</i>				29	X	50/40/40 70/40/40 70/50/50 100/50/50 100/70/70	900214 900213 900212 900210 900211	
	Zinc finish steel bifurcation with reducer and air inlet adjustment					30		100/70	900294








	“ ≡ ”	P		Ø (mm)	 523495761	£
	Zinc finish drum cap filler	31		2"/50/40	900123	
	Zinc finish steel bent hose fitting	32		40 50 70	900112 900113 900114	
	<i>AISI 304 stainless steel bent hose fitting</i>	33	X	40 50 70	900115 900116 900117	
	Zinc finish steel bent hose reducer fitting	34		50/40 70/50	900147 900148	
	<i>AISI 304 stainless steel bent hose reducer fitting</i>	35	X	50/40 70/50	900149 900150	






	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	Zinc finish steel reducer for bent nozzles pos. 107, 108 or 109	36		50/32	900174	
	<i>AISI 304 stainless steel reducer for bent nozzles pos. 107, 108 or 109</i>	37	X	40/32 50/32	900182 900135	
	Zinc finish steel reducer for rubber flat crevice pos. 118 or 119	38		50/44	900168	
	<i>AISI 304 stainless steel reducer for rubber flat crevice pos. 118 or 119</i>	39	X	50/44	900181	
	Zinc finish steel extension for rubber flat crevice pos. 118 or 119	40		40/44	900167	
	<i>AISI 304 stainless steel extension for rubber flat crevice pos. 118 or 119</i>	41	X	40/44	900238	




	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Zinc finish air exhaust hose fitting outlet	42		60/50 80/70 100/70 150/100	120277 120278 120279 120280	
	<i>AISI 304 stainless steel air exhaust hose fitting outlet</i>	43		100/70	120283	
	Zinc finish air exhaust hose fitting outlet for KC	44		150/70	160442	
	<i>AISI 304 stainless steel air exhaust hose fitting outlet for KC</i>	45		150/70	160484	



	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	Zinc finish quick connection	46		40	900122	
				50	900124	
	AISI 304 stainless steel quick connection	47	X	40	900128	
				50	900129	
	Zinc finish quick connection	48		70	900126	
				AISI 304 stainless steel quick connection	49	



	“≡”	P	↻ ↻	T (°C)		⊕ X	Fork EC	Fork FDA	L	∅ (mm)	Barcode 523495761	£
				min	max							
	“Flex” hose, per meter (TF0001)	50	↻ ↻	-30	+60					40	910042	
											50	910043
	“Flex” hose roll, per meter (TF0001)	51	↻ ↻	-30	-60				30 m	40	910042R	
											30 m	50
	Rubber junction sleeve for conductive hose	52	↻ ↻			X				40	910007	
												50
	Conductive EVA hose, per meter (TF0002)	53	↻ ↻	-20	+60	X				40	910044	
												50
	Conductive EVA hose roll, per meter (TF0002)	54	↻ ↻	-20	+60	X			30 m	40	910044R	
											30 m	50
	Rubber junction sleeve for conductive hose	55	↻ ↻			X				40	910007	
												50



	“≡”	P	↻ ↻	T (°C)		⊕ X	🍴		L	∅ (mm)	📊 523495761	£
				min	max		EC	FDA				
	“Air” hose, per meter (TF0003)	56	↻	-10	+60					40	910049	
										50	910050	
										70	910051	
										100	910052	
	“Air” hose roll, per meter (TF0003)	57	↻	-10	+60				50 m	40	910049R	
									50 m	50	910050R	
									50 m	70	910051R	
									50 m	100	910252R	
	Antistatic and oil proof rubber sleeve for “Air” hose	58	↻							40	910015	
										50	910016	
										70	910017	
	Polyurethane hose, per meter (TF0005)	59	↻	-25	+90 ... +125		X	X		40	910082	
										50	910083	
										70	910084	
										100	910085	
	Polyurethane hose roll, per meter (TF0005)	60	↻	-25	+90 ... +125		X	X	20 m	40	910082R	
									20 m	50	910083R	
									20 m	70	910084R	
									30 m	100	910285R	
	Antistatic and oil proof rubber sleeve for polyurethane hose	61	↻							40	910018	
										50	910019	
										70	910020	
	Silicone junction sleeve for polyurethane hose	62	↻				X	X		40	910025	
										50	910026	
										70	910027	







	“≡”	P	↻ ↻	T (°C)		⊕ X	🍴		L	∅ (mm)	📊 523495761	£
				min	max		EC	FDA				
	Light Polyurethane hose, per meter (TF0004)	63	↻	-25	+85		X	X		40	910072	
										50	910073	
										70	910074	
	Light Polyurethane hose roll, per meter (TF0004)	64	↻	-25	+85		X	X	20 m	40	910072R	
									20 m	50	910073R	
									20 m	70	910074R	
	Antistatic and oil proof rubber sleeve for light polyurethane hose	65	↻						40	910015		
									50	910016		
									70	910017		
	Conductive polyurethane hose, per meter (TF0006)	66	↻	-30	+90	X			40	910089		
									50	910090		
									70	910091		
									100	910192		
	Conductive polyurethane hose roll, per meter (TF0006)	67	↻	-30	+90	X			20 m	40	910089R	
									20 m	50	910090R	
									20 m	70	910091R	
									10 m	100	910192R	
	Antistatic and oil proof rubber sleeve for conductive polyurethane hose	68	↻			X			40	910018		
									50	910019		
									70	910020		






	“≡”	P	↻ ↺	T (°C)		⊕ ⊗	Fork EC	Fork FDA	L	∅ (mm)	Barcode 523495761	£
				min	max							
	No-toxic/antistatic hose, per meter (TF0007)	69		-10	+60		X			30	910055	
										40	910056	
										50	910157	
										70	910058	
	No-toxic/antistatic hose roll, per meter (TF0007)	70		-10	+60		X		50 m	30	910055R	
									50 m	40	910156R	
									50 m	50	910157R	
									50 m	70	910158R	
	Silicone hose, per meter (TF0010)	71		-60	+200					40	910123	
										50	910125	
										70	910126	
	Antistatic oil proof rubber hose (TF0008)	72							3 m	40	910059	
									3 m	50	910060	
									3 m	70	910061	
									5 m	40	910063	
									5 m	50	910064	
	5 m	70	910065									
	Steel hose, per meter (TF0009)	73								40	910095	
										50	910096	
										70	910097	
										100	910098	
	Antistatic and oil proof rubber sleeve for conductive polyurethane hose	74	↻				X			40	910021	
										50	910022	





	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	Hose clamp	75		56-59	420027	
				60-80	420017	
				74-79	420021	
				80-85	420022	
				104-112	420020	
	<i>AISI 304 stainless steel hose clamp</i>	76		50	420015	
				100	420008	
	Painted hose support up to threephase models: K5S, K5P, K5P/56, KB5S, KB5P, KB5P/56	77			190118	
	KF models painted hose support	78			190120	
	KM, KMB models painted hose support	79			180161	



	“ ≡ ”	P	Ex	⌘	L	∅ (mm)	523495761	£
	Chromed handgrip	80				40	920000	
						50	920002	
	Aluminium handgrip	81				40	920001	
						50	920003	
						70	920004	
	<i>AISI 304 stainless steel handgrip</i>	82	X	X		40	920006	
						50	920007	



	“≡”	P	Ex	⚡	L	Ø (mm)	523495761	£
	Aluminium extension	83			1 m	40	920045	
					1 m	50	920048	
					2 m	40	920046	
					2 m	50	920049	
					3 m	40	920047	
					3 m	50	920050	
	Aluminium extension for ovens	84			1 m	40	920054	
					1 m	50	920057	
					2 m	40	920055	
					2 m	50	920058	
					3 m	40	920056	
					3 m	50	920059	







	“≡”	P	Ex	⚡	L	∅ (mm)	523495761	£
	1,1 meters long painted carbon steel scraping nozzle	85	X		110 mm	40	920040	
		86	X		120 mm	50	920041	
		87	X		150 mm	70	920042	
	1,2 meters long painted carbon steel scraping nozzle	88	X		300 mm	50	920043	
	Aluminium nozzle probe with handles * without handles	89				50*	920029	
						70	920030	
						100	920031	
	Aluminium nozzle probe with handles and air inlet adjustment	90				50	920026	
						70	920025	
						100	920027	
	Zinc finish fluidized bulk nozzle	91				50	920077	
						70	920078	




	“≡”	P	Ex	⚡	L	Ø (mm)	523495761	£
	Dust floor nozzle with rubber lips	92			300 mm	40	930026	
					300 mm	50	930038	
					400 mm	40	930032	
					400 mm	50	930033	
					500 mm	50	930035	
					500 mm	70	930036	
	Dust floor nozzle with bristle	93			300 mm	40	930027	
					300 mm	50	930039	
					400 mm	40	930028	
					400 mm	50	930029	
					500 mm	50	930030	
					500 mm	70	930031	
	AISI 304 stainless steel dust floor nozzle with silicone lips	94	X	X	300 mm	40	930091	
					300 mm	50	930092	
					400 mm	40	930088	
					400 mm	50	930089	
					500 mm	50	930090	
	Nozzle for ovens with silicone lips	95			300 mm	40	930083	
					300 mm	50	930084	
					400 mm	40	930085	
					400 mm	50	930086	
	Fixed nozzle with rubber lips	96			600 mm	70	930080	
					700 mm	70	930081	



	“≡”	P	Ex	⌘	L	∅ (mm)	523495761	£
	Rubber lips kit for floor nozzle (10 pieces)	97			400 mm		210050K	66,13
					500 mm		210051K	89,97
	Silicone lips kit for floor nozzle (10 pieces)	98		X	400 mm		210054K	111,17
					500 mm		210055K	135,00
	Bristle strip kit for floor nozzle (10 pieces)	99			400 mm		930095K	72,85
					500 mm		930096K	91,31
	Rubber kit for fixed nozzle (10 pieces)	100			700 mm		210053K	145,49




	“≡”	P	T (°C)		EX	Fork and Knife		Ø (mm)	Barcode 523495761	£
			min	max		EC	FDA			
	Oil proof, antistatic rubber cone to be fitted onto hose junctions pos. 15, 16 or hose fittings pos. 1, 2 or pos. 32, 33, 34, 35	101			X			40	930004	
			50	930005						
			70	930006						
	Mark proof rubber cone to be fitted onto hose junctions pos. 15, 16 or hose fittings pos. 1, 2 or pos. 32, 33, 34, 35	102						40	930011	
			50	930010						
	Silicone cone to be fitted onto hose junction pos. 16 or hose fittings pos. 2 or pos. 33, 35	103						40	930007	
			50	930008						
	120 mm width antistatic, oil-proof black rubber suction nozzle to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	104			X			40	930016	
	120 mm width antistatic, oil-proof black rubber suction nozzle to be fitted onto 50 mm diameter hose junctions pos. 15, 16 or hose fittings pos. 1, 2		50							
	120 mm width mark proof rubber suction nozzle to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	105						40	930018	
	120 mm width mark proof rubber suction nozzle to be fitted onto 50 mm diameter hose junctions pos. 15, 16 or hose fittings pos. 1, 2		50							
	120 mm width silicone suction nozzle to be fitted onto 50/40 mm diameters hose reducer pos. 9	106						40	930017	
	120 mm width silicone suction nozzle to be fitted onto 50 mm diameter hose junction pos. 16 or hose fitting pos. 2		50							






	“ ≡ ”	P	T (°C)					Ø (mm)	 523495761	£
			min	max		EC	FDA			
	Black color, rubber bent nozzle antistatic to be fitted onto reducers: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	107			X			32	930071	
	Grey color, rubber bent nozzle to be fitted onto reducers: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	108						32	930073	
	Silicone bent nozzle to be fitted onto reducer: pos. 36 (50/32 mm diameters) or pos. 37 (40/32 mm diameters)	109				X		32	930072	
	Tapered rubber cone to be fitted onto 50/40 mm diameters hose reducers pos. 8, 9	110			X			40/20	930022	
	Tapered rubber cone to be fitted onto the rubber sleeves diameter 50 mm pos. 52, 55, 58, 61, 65, 68, 74							50/20		



	“≡”	P	Ex	⚡	L	∅ (mm)	523495761	£
	External beaded zinc finish steel flat crevice	111			320 mm	40	920011	
					320 mm	50	920012	
					500 mm	40	920016	
					500 mm	50	920017	
					600 mm	70	920018	
	Internal beaded zinc finish steel flat crevice	112			500 mm	40	920119	
					500 mm	50	920120	
	<i>AISI 304 stainless steel flat crevice</i>	113	X	X	500 mm	40	920019	
					500 mm	50	920020	
					600 mm	70	920028	
	Zinc finish steel flat crevice with reducer	114			500 mm	40/30	920121	
						50/30	920122	
						50/40	920022	
						70/50	920021	
	Zinc finish steel horizontal bent flat crevice	115				50	920023	
	Zinc finish steel vertical bent flat crevice	116				50	920024	



	“ ≡ ”	P	Ex	⚡	L	∅ (mm)	523495761	£
	PVC flat crevice	117			500 mm	40 50	920032 920033	
	Antistatic black rubber flat crevice, to be fitted onto reducers pos. 38, 39 or extensions pos. 40, 41	118	X		190 mm	44	920036	
	Grey rubber flat crevice, to be fitted onto reducers pos. 38, 39 or extensions pos. 40, 41	119			190 mm	44	920035	






	“≡”	P	Ex	⚡	L	∅ (mm)	523495761	£
	Nylon bristle brush with zinc finish steel coupling	120				80/40	930064	64,91
						100/50	930065	72,76
						100/70	930066	134,71
	Nylon bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	121				100/40	930063	97,85
	Nylon bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50		
	Nylon + steel bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	122	X			100/40	930068	107,90
	Nylon + steel bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50		
	Food grade bristle brush to be fixed onto the hose fittings 40 mm diameter pos. 1 or 2	123				100/40	930163	97,85
	Food grade bristle brush to be fixed onto the rubber sleeves 50 mm diameter pos. 52, 55, 58, 61, 65, 68, 74					100/50		




	“≡”	P	Ex	⌘	L	∅ (mm)	523495761	£
	Conductive nylon and steel bristle brush	124	X		220 mm	50	930135	
	90° brush	125			220 mm	40	930043	
					220 mm	50	930044	
					300 mm	40	930042	
					300 mm	50	930045	
					400 mm	40	930041	
					400 mm	50	930046	
	30° brush	126			220 mm	40	930056	
					220 mm	50	930049	
					300 mm	40	930057	
					300 mm	50	930050	
					400 mm	40	930058	
					400 mm	50	930051	
	Bristle brush for pipe cleaning	127				100/50	930130	
						200/50	930131	







	“ ≡ ”	P	Ex	⚡	L	∅ (mm)	523495761	£
	Nylon bristle brush replacement	128				80 100	930100 930101	
	Brush replacement	129			220 mm 300 mm 400 mm 500 mm		930105 930102 930103 930104	
	Bristle brush for pipe cleaning replacement	130				100/50 200/50	930107 930108	





	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Zinc finish steel removable cyclonic deflector for liquids	131		460	950002	
				560	950003	
	<i>AISI 304 stainless steel removable cyclonic deflector for liquids</i>	132	X	460	950004	
				560	950005	
	Zinc finish steel grate for container bottom	133		460	120120	
				560	120121	
	<i>AISI 304 stainless steel grate for container bottom</i>	134	X	460	120130	
				560	120131	
	Brass draining valve for liquids emptying	135		3/4"	430061	
				1"	430062	
	<i>AISI 304 stainless steel draining valve for liquids emptying</i>	136	X	3/4"	430271	
				1"	430272	
	Zinc finish steel grate for container bottom and valve for liquids emptying	137		460	950006	
				560	950007	
	<i>AISI 304 stainless steel grate for container bottom and valve for liquids emptying</i>	138	X	460	950014	
				560	950015	





	“ ≡ ”	P	Ex	Ø (mm)	523495761	£
	Disposal bag vacuum balance system for dust collection directly into plastic bags	139		460	950053	
				560	950052	
	Zinc finish steel grate for container bottom and vacuum balance system for dust collection directly into plastic bags	140		460	950009	
				560	950010	
	<i>AISI 304 stainless steel grate for container bottom and vacuum balance system for dust collection directly into plastic bags</i>	141	X	460	950016	
				560	950017	
	40 liters capacity zinc finish swarf basket	142		460	100122	
				460	100171	




	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	Zinc finish steel basket for vacuuming performances improvement for models: KR1656 KR3056	143		560	100099	
	<i>AISI 304 stainless steel basket for vacuuming performances improvement for models:</i> KR1656 KR3056	144	X	560	100107	
	Zinc finish steel basket for vacuuming performances improvement for models: KR1046 KR1646	145		460	100108	
	<i>AISI 304 stainless steel basket for vacuuming performances improvement for models:</i> KR1046 KR1646	146	X	460	100369	
	Zinc finish steel basket for vacuuming performances improvement for models: KR5056	147		560	100110	
	<i>AISI 304 stainless steel basket for vacuuming performances improvement for models:</i> KR5056	148	X	560	100109	




	“≡”	P	Ex	⌘	∅ (mm)	523495761	£
	360 mm diameter - 50 liters capacity, blue RAL 5012 painted preseparator	149			50 50	950058	
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator	150				950059	
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator	151			70 70	950060	
	560 mm diameter - 175 liters capacity, blue RAL 5012 painted preseparator	152				950061	
	560 mm diameter - 96 liters capacity, blue RAL 5012 painted preseparator with 300 mm diameter manually operated butterfly valve discharge	153			100 100	950429	



	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator	154			40 40	950079	
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator	155			50 50	950069	
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator	156				950070	
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator	157			70 70	950278	
	560 mm diameter - 175 liters capacity AISI 304 stainless steel preseparator	158				950068	





	“ ≡ ”	P	Ex	🔪	∅ (mm)	523495761	£
	360 mm diameter - 50 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	159		X	50 50	950386	
	460 mm diameter - 100 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	160		X		950387	
	460 mm diameter - 100 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	161		X	70 70	950284	
	560 mm diameter - 175 liters capacity AISI 316L stainless steel preseparator with Pharma finish*	162		X		950388	

* Pharma finish: cleaned welding and inner mirror polished



	“≡”	P	Ex	⌘	∅ (mm)	523495761	£
	360 mm diameter - 50 liters capacity, blue RAL 5012 painted preseparator for incandescent materials	163			50 50	950536	
	460 mm diameter - 100 liters capacity, blue RAL 5012 painted preseparator for incandescent materials	164			50 50	950066	
		165			70 70	950067	
	360 mm diameter - 50 liters capacity AISI 304 stainless steel preseparator for incandescent materials	166			50 50	950537	
	460 mm diameter - 100 liters capacity AISI 304 stainless steel preseparator for incandescent materials	167			50 50	950281	
		168			70 70	950392	




	“≡”	P	⊕ _x	🔧	∅ (mm)	523495761	£
	600 liters capacity tilting , yellow RAL 1028 painted preseparator	169			100 100	950065	
	600 liters capacity tilting , yellow RAL 1028 painted preseparator for <i>ATEX applications</i>	170	X		100 100	950065.022	



	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	460 mm diameter - 100 liters capacity cyclonic blue RAL 5012 painted preseparator	171			70 70	950489	
	460 mm diameter - 100 liters capacity cyclonic blue RAL 5012 painted preseparator	172			100 100	950257	
	560 mm diameter - 175 liters capacity cyclonic blue RAL 5012 painted preseparator	173			100 100	950062	
	460 mm diameter - 100 liters capacity AISI 304 stainless steel cyclonic preseparator	174			100 100	950256	
	560 mm diameter - 175 liters capacity AISI 304 stainless steel cyclonic preseparator	175			100 100	950258	



	“≡”	P	Ex	🔪	∅ (mm)	523495761	£
	<p>460 mm diameter - 100 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*, with 2" clamp</p>	176		X	50 50	950404	
	<p>460 mm diameter - 100 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*, with 3" clamp</p>	177		X	70 70	950283	
	<p>560 mm diameter - 175 liters capacity AISI 316L stainless steel cyclonic preseparator with Pharma finish*</p>	178		X	100 100	950405	

* Pharma finish: cleaned welding and inner mirror polished + clamps








	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	<p>280 mm diameter - 25 liters capacity cyclonic preseparator with parts in contact with material in AISI 316L stainless steel with Pharma finish*, with 3" clamp, fitted with:</p>	179		X	3"	950075	
	T001 - material inlet hose fittings				3" / 40	160068	
					3" / 50	160071	
					3" / 70	160072	
	T002 - connection to vacuum unit elbow hose fittings				3" / 40	450044	
					3" / 50	450045	
				3" / 70	450063		
	<p>360 mm diameter - 50 liters capacity cyclonic preseparator with parts in contact with material in AISI 316L stainless steel with Pharma finish*, with 4" clamp, fitted with:</p>	180		X	4"	950081	
	T001 - material inlet hose fittings				4" / 40	160455	
					4" / 50	160456	
					4" / 70	160294	
					4" / 100	160139	
	T002 - connection to vacuum unit elbow hose fittings				4" / 40	450066	
					4" / 50	450067	
					4" / 70	450065	
					4" / 100	450068	

* Pharma finish: cleaned welding and inner mirror polished + clamps




	“≡”	P	Ex	🔪	∅ (mm)	523495761	£
	460 mm diameter cyclonic blue RAL 5012 painted lid	181			100 100	950020	
	560 mm diameter cyclonic blue RAL 5012 painted lid					100 100	950012
	460 mm diameter cyclonic AISI 304 stainless steel lid	182	X		100 100	950021	
	560 mm diameter cyclonic AISI 304 stainless steel lid			X		100 100	950018
	600 mm diameter painted drum adapter for 560 mm diameter cyclonic lid	183				950312	




	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	280 mm diameter cyclonic blue RAL 5012 painted head	184			100 100	950050	
 	360 mm diameter blue RAL 5012 painted lid with zinc finish quick connection	185			50 50	950437	
					70 70	950438	
					50 50	950439	
					70 70	950440	
					100 100	950441	
					70 70	950442	
	560 mm diameter blue RAL 5012 painted lid with zinc finish quick connection				100 100	950443	
	590 mm diameter blue RAL 5012 painted lid for 200 liters drum	186			70 70	950013	
	560 mm diameter blue RAL 5012 painted lid with overfilling float valve for liquids	187			50 50	950078	



	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	25 liters capacity blue RAL 5012 painted dust bin	188			360	100194	
	50 liters capacity blue RAL 5012 painted dust bin				460	100200	
	90 liters capacity blue RAL 5012 painted dust bin				460	100204	
	120 liters capacity blue RAL 5012 painted dust bin				460	100221	
	175 liters capacity blue RAL 5012 painted dust bin				560	100208	
	175 liters capacity blue RAL 5012 painted reinforced dust bin				560	100219	



	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
	25 liters capacity <i>AISI 304 stainless steel dust bin</i>	189	X		360	100195	
	50 liters capacity <i>AISI 304 stainless steel dust bin</i>				460	100201	
	90 liters capacity <i>AISI 304 stainless steel dust bin</i>				460	100205	
	120 liters capacity <i>AISI 304 stainless steel dust bin</i>				460	100258	
	175 liters capacity <i>AISI 304 stainless steel dust bin</i>				560	100209	
	175 liters capacity <i>AISI 304 s. s. reinforced dust bin</i>				560	100222	
	50 liters capacity <i>AISI 316L stainless steel dust bin Pharma finish ¹⁾</i>				190	X	X
90 liters capacity <i>AISI 316L stainless steel dust bin Pharma finish ¹⁾</i>	460	100203					


* Pharma finish: cleaned welding and inner mirror polished





	“≡”	P	Ex	🔪	∅ (mm)	523495761	£
	25 liters capacity painted dust bin	191			360	100240	
	50 liters capacity painted dust bin				460	100242	
	25 liters capacity <i>AISI 304 stainless steel</i> dust bin	192	X		360	100241	
	50 liters capacity <i>AISI 304 stainless steel</i> dust bin				460	100243	
	25 liters capacity <i>AISI 304 stainless steel</i> dust bin <i>Easy cleaning finish</i>	193	X		360	100244	
	25 liters capacity <i>AISI 316L stainless steel</i> dust bin <i>Pharma finish</i> ¹⁾	194	X	X	360	100249	
	50 liters capacity <i>AISI 316L stainless steel</i> dust bin <i>Pharma finish</i> ¹⁾				460	100248	

* Pharma finish: cleaned welding and inner mirror polished









	“≡”	P	Ex	🔪	∅ (mm)	523495761	£
	60 liters capacity blue RAL 5018 painted dust bin compatible	195			460	109001	
	100 liters capacity blue RAL 5018 painted dust bin compatible				460	109000	
	175 liters capacity blue RAL 5018 painted dust bin compatible				560	109002	
	60 liters capacity <i>AISI 304 stainless steel</i> dust bin compatible	196	X		460	109003	
	100 liters capacity <i>AISI 304 stainless steel</i> dust bin compatible		X		460	109005	
	175 liters capacity <i>AISI 304 stainless steel</i> dust bin compatible				560	109006	



	“ ≡ ”	P	Ex	⌘	∅ (mm)	523495761	£
 <p>Bracket for easy dust bin emptying (maximum load 200 kg)</p>		197			460	950044	
					560	950045	
 <p>Ring for easy dust bin emptying</p>		198			460	950042	
					560	950043	

Example:








	“ ≡ ”	REF	P	Ex	∅ (mm)	523495761	£
	1 kW - 230 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		199			600001	
	1,1 kW - 230 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		200			600004	
	1 kW - 120 V - 50 60 Hz twin stage by-pass single-phase vacuum unit		201			600002	
	1,1 kW - 230 V - 50 60 Hz brushless single-phase vacuum unit		202			600006	
	Gasket for single-phase vacuum unit		203			210010	
	Brushes for single-phase vacuum unit	600001 600005 600002 600004	204			600011 600012 600013 600015	




	“≡”	P	CAT	 EC FDA		FOLDERS	∅ (mm)	 523495761	£	
	Polyester star filter (SFT001)	205	L	X		8	360	209000		
						16	460	200004		
						16	560	200010		
						20	780	200016		
						30	780	200016M		
	Antistatic polyester star filter (SFT002)	206	L	X		X	8	360	209021	
							16	460	200012	
							16	560	200013	
20							780	200014		
Polyurethane injected polyester star filter (SFT003)	207	M				8	360	209071		
						16	360	200051		
						16	460	200005		
						16	560	200019		
						20	780	200020		
Antistatic polyester star filter (SFT004)	208	M	X		X	8	360	209041		
						16	360	200053		
						16	460	200006		
						16	560	200022		
						20	780	200023		
PTFE coated polyester star filter (SFT005)	209	M	X	X		8	360	209101		
						16	460	200008		
						16	560	200025		
						20	780	200026		
						PTFE coated antistatic polyester star filter (SFT006)	210	M		X
12	360	209131M								
16	460	200009								
16	560	200028								
20	780	209134								
Nomex star filter (SFT007)	211					8	360	209081		
						16	460	200007		
						16	560	200031		
						20	780	200032		
Polypropylene star filter (SFT008)	212	M				8	360	200033		
						16	460	200034		
						16	560	200035		
						20	780	200036		
						30	780	200036M		






	“ ≡ ”	P	CAT	 EC FDA		 (mm)	 523495761	£	
 <p>12 folders</p>	12 folders polyester star filter (SFT001)	213	L	X		460	209001		
	12 folders antistatic polyester star filter (SFT002)	214	L	X	X	460	209022		
	12 folders polyurethane injected polyester star filter (SFT003)	215	M				460	209072	
	12 folders antistatic polyester star filter (SFT004)	216	M	X		X	460	209042	
	12 folders PTFE coated polyester star filter (SFT005)	217	M	X	X		460	209102	
	12 folders PTFE coated antistatic polyester star filter (SFT006)	218	M	X	X	X	460	209132	
	12 folders Nomex star filter (SFT007)	219					460	209082	
	12 folders polypropylene star filter (SFT008)	220	M				460	209168	






	“ ≡ ”	P	CAT	EC FDA	Ex	∅ (mm)	523495761	£	
	Polyester bag filter (SFT001)	221	L	X		220	209010		
						280	209011		
						360	209012		
						460	209013		
						560	209014		
	Antistatic polyester bag filter (SFT002)	222	L	X		X	220	209030	
							280	209031	
							360	209032	
							460	209033	
							560	209034	
	Polyurethane injected polyester bag filter (SFT003)	223	M				220	209060	
							280	209061	
							360	209062	
							460	209063	
							560	209064	
	Antistatic polyester bag filter (SFT004)	224	M	X		X	220	209050	
							280	209051	
							360	209052	
							460	209053	
							560	209054	
	PTFE bag filter (SFT005)	225	M	X	X		280	200061	
360							209111		
460							200075		
560							200076		
PTFE antistatic bag filter (SFT006)							226	M	
	280	200064							
	360	209192							
	460	200066							
	560	200067							








	“ ≡ ”	P	CAT	EC	FDA	Ex	Ø (mm)	523495761	£	
	Paper bag filter (10 pieces)	227					280	200189K		
							360	200190K		
							460	200191K		
							560	200192K		
	Nylon bag filters for models: KR1046 - KR1646 KR1656 - KR2256 KR3056 - KR4056 - KR5056	228					460	209121		
							560	209122		
							560	209159		
	Polyester bag filters for models: KR1046 - KR1646 KR1656 - KR2256 KR3056 - KR4056 - KR5056	229						460	209124	
								560	209125	
								560	209129	
	Nylon bag filter for KOIL series: 300 micron	230					360	209175		
							460	209174		
	200 micron						360	209180		
							460	209181		




	“≡”	P	⚡	Ex	L	∅ (mm)	523495761	£
	Zinc finish filter ring	231				280	130002	
			360	130003				
			460	130004				
			560	130005				
			780	130006				
	AISI 304 stainless steel filter ring	232		X		280	130010	
			360	130011				
			460	130012				
			560	130013				
			780	130014				
	Zinc finish filter ring, for installation with upstream absolute filter cartridge	233				460	130042	
	AISI 304 stainless steel filter ring, for installation with upstream absolute filter cartridge		234		X		460	130043



	“≡”	P	🔧	⊕	L	∅ (mm)	523495761	£	
	Rubber gasket for filter ring	235				280	210014		
						360	210015		
						460	210016		
						560	210017		
						780	210018		
	Silicone gasket for filter ring	236	X			280	210020		
						360	210021		
						460	210022		
						560	210023		
						780	210024		
	Oil-proof rubber gasket for filter ring	237				360	210044		
						460	210045		
						560	210046		
	Bin coupling gasket per meter for:	238							
	<ul style="list-style-type: none"> • 360 and 460 mm diameter filtering chamber • 560 mm diameter filtering chamber 								210007
	Bin coupling gasket per unit for:	239							
	<ul style="list-style-type: none"> • 360 mm diameter filtering chamber • 460 mm diameter filtering chamber 								210114
	<ul style="list-style-type: none"> • 560 mm diameter filtering chamber 								210115



	“≡”	P	Ex	∅ (mm)	523495761	£
	Filter clamp	240		220	420001	
				280	420002	
				360	420003	
				460	420004	
				560	420005	
				780	420006	
	<i>Stainless steel filter clamp</i>	241	X	220	420110	
				360	420112	
				460	420113	
				560	420114	



	“≡”	P	CAT	 EC FDA		Ø x L (mm)	FCD ¹⁾ NC ²⁾	 523495761	£
	Antistatic polyester cartridge filter (per unit)	242	M		X	150 x 500	460 3	200770	
						225 x 500	560 3 780 4	200772	
						225 x 1.000	780 4	200774	
	Antistatic PTFE cartridge filter (per unit)	243	M		X	150 x 500	460 3	200771	
						225 x 500	560 3 780 4	200773	
						225 x 1.000	780 4	200778	
	Polyester - oil & water repellent cartridge filter (per unit)	244				140 x 150	460 3	200769	






¹⁾ FCD = Filtering Chamber Diameter



²⁾ NC = Number of cartridges included per spare set



	“ ≡ ”	P	CAT	⚡	⊕ Ex	∅ (mm)	523495761	£
	Upstream absolute filter cartridge for models: KH0528, KH1028, KV0528, KV1028	245	H14			280	200094	
	Upstream absolute filter cartridge for models: KM1, KC36, KF10, KF16, KH1036, KH1636, KH2236, KH3036, KV1036, KV1636, KV2236	246	H14			360	200093	
	Upstream absolute filter cartridge for models: KM2, KM3, KMB2, KMB3, K2, K3, KB2, KB3, KBB2, KBB3, KF22, KF30, KH2246, KH3046, KH3046P, KV2246, KV3046, KV3046P,	247	H14			460	200090	
	Upstream absolute filter cartridge for models: K4S, K5S, K4P, K5P, K4P/56, K5P/56, KB4S, KB5S, KB4P, KB5P, KB4P/56, KB5P/56, KB6, KB6P, KC, KC2/46, KC2, KT856P, KT856P.084, KF30P	248	H14			460	200091	
	Upstream absolute filter cartridge for models (inside the filtering chamber): KB7, KB7S, KB7P, K7, K9, K11S, K11P, K13, K15, K18,	249	H14			560	200092	
	Upstream absolute filter cartridge for models (outside the filtering chamber): K7, K9, K11S, K11P, K13, K15, K18, K7/78, K9/78, K11P/78, K13/78, K15/78, K18/78,	250	H14				200095	
	Upstream absolute filter cartridges for models (outside the filtering chamber): K20S, K20P, K25S, K25P	251	H14				200295	
	Downstream absolute filter cartridge for models: KF10, KF16	252	H14				200096	
	Downstream absolute filter cartridge for models: KF22, KF30, KF30P	253	H14				200097	






	“ ≡ ”	P	Ex	∅ (mm)	523495761	£
	88 mm long spacer for upstream absolute filter cartridge fitting suitable for the following models: KM2, KM3, KMB2, KMB3	254		22	140029	
	73 mm long spacer for upstream absolute filter cartridge fitting suitable for the following models: K4S, K4P, K5S, K5P, KB4S, KB4P, KB5S, KB5P, KT856P, KT856P.084			22	140030	
	Sealing gasket for upstream absolute filter cartridge	255		3/4"	210034	
	Adapter for upstream absolute filter cartridge ref. 200090	256		18 22	140075	
	Head filter shaker axle guiding spring	257			420045	

	“ ≡ ”	P	CAT	Ø	 523495761	£
	Upstream absolute filter kit (M dust class primary filter is advised), for models: KM2, KM3, KMB2, KMB3	258	H14	460	950130	
	Upstream absolute filter kit (M dust class primary filter is advised), for models: K2, K3, KB2, KB3, KC, KC2/46 KBB2, KBB3 KF22, KF30, KF30P, KH2246, KH3046, KH3046P, KV2246, KV3046, KV3046P	259	H14	460	950132	
	Upstream absolute filter kit (M dust class primary filter is advised), for models: K4S, K4P, K5S, K5P, KB4S, KB4P, KB5S, KB5P, KT856P, KT856P.084	260	H14	460	950131	
	Upstream absolute filter kit (M dust class primary filter is advised), painted version, for models: KH0528, KH1028, KV0528, KV1028	261	H14	280	950254	
	Upstream absolute filter kit (M dust class primary filter is advised), AISI304 stainless steel version, for models: KH0528, KH1028, KV0528, KV1028	262	H14	280	950223	
	Upstream absolute filter kit (M dust class primary filter is advised), for models: KM1, KC36 KF10, KF16, KH1036, KH1636, KV1036, KV1636	263	H14	360	950128	






	“≡”	P	Ex	L	Ø (mm)	523495761	£
	Anodized aluminium hinged vacuum dust extraction arm with hood - white Polypropylene joints and flanges supplied with painted holder for models KF10 & KF16	264		1.125 mm	50/200	950101	
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF10 & KF16			1.125 mm	50/200	950102	
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models KF10 & KF16	265	X	1.125 mm	50/200	950313	
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF10 & KF16		X	1.125 mm	50/200	950543	
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with painted holder for models KF30, KF30P	266		1.620 mm	75/200	950099	
	Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF30, KF30P			1.620 mm	75/200	950100	
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models KF30, KF30P	267	X	1.290 mm	75/200	950424	
	Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models KF30, KF30P		X	1.290 mm	75/200	950097	



	“≡”	P	Ex	L	Ø (mm)	523495761	£
	<p>Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with painted holder for models K4P/56 & K5P/56</p>	268		1.620 mm	75/200	950545	
	<p>Anodized aluminium hinged vacuum dust extraction arm with metallic hood - white Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models K4P/56 & K5P/56</p>			1.620 mm	75/200	950544	
	<p>Antistatic chrome finish aluminium hinged vacuum dust extraction arm with metallic hood - conductive black Polypropylene joints and flanges supplied with painted holder for models K4P/56 & K5P/56</p>	269	X	1.290 mm	75/200	950546	
	<p>Antistatic chrome finish aluminium hinged vacuum dust extraction arm with mettalic hood - conductive black Polypropylene joints and flanges supplied with AISI 304 stainless steel holder for models K4P/56 & K5P/56</p>		X	1.290 mm	75/200	950119	



	“≡”	P	Ex	L	Ø (mm)	523495761	£
	Set of 4 endless bags, thickness 64 µm	270		20 m	360	950124	
	Set of 4 antistatic endless bags, thickness 64 µm	271	X	20 m	360	950125	
	Set of 10 paper bags	272				200195	

INDEX CODE


100099	33	130042	54	200097	58	209159	53
100107	33	130043	54	200189K	53	209168	51
100108	33	140029	59	200190K	53	209174	53
100109	33	140030	59	200191K	53	209175	53
100110	33	140075	59	200295	58	209180	53
100122	32	160442	12	200769	57	209181	53
100171	32	160484	12	200770	57	209192	52
100194	44	180161	18	200771	57	210007	55
100195	45	190118	18	200772	57	210008	55
100200	44	190120	18	200773	57	210014	55
100201	45	200004	50	200774	57	210015	55
100202	45	200005	50	200778	57	210016	55
100203	45	200006	50	209000	50	210017	55
100204	44	200007	50	209001	51	210018	55
100205	45	200008	50	209010	52	210020	55
100208	44	200009	50	209011	52	210021	55
100209	45	200010	50	209012	52	210022	55
100219	44	200012	50	209013	52	210023	55
100221	44	200013	50	209014	52	210024	55
100222	45	200014	50	209021	50	210034	59
100240	46	200016	50	209022	51	210044	55
100241	46	200016M	50	209030	52	210045	55
100242	46	200019	50	209031	52	210046	55
100243	46	200020	50	209032	52	210050K	23
100244	46	200020M	50	209033	52	210051K	23
100248	46	200022	50	209034	52	210053K	23
100249	46	200023	50	209041	50	210054K	23
100258	45	200023M	50	209042	51	210055K	23
100369	33	200025	50	209050	52	210114	55
109000	47	200026	50	209051	52	210115	55
109001	47	200028	50	209052	52	210116	55
109002	47	200031	50	209053	52	420001	56
109003	47	200032	50	209054	52	420002	56
109005	47	200033	50	209060	52	420003	56
109006	47	200034	50	209061	52	420004	56
120120	31	200035	50	209062	52	420005	56
120121	31	200036	50	209063	52	420006	56
120130	31	200036M	50	209064	52	420008	18
120131	31	200051	50	209071	50	420017	18
120277	12	200053	50	209072	51	420020	18
120278	12	200061	52	209081	50	420021	18
120279	12	200063	52	209082	51	420022	18
120280	12	200064	52	209101	50	420027	18
120283	12	200066	52	209102	51	420045	59
130002	54	200067	52	209111	52	420110	56
130003	54	200075	52	209121	53	420112	56
130004	54	200076	52	209122	53	420113	56
130005	54	200090	58	209124	53	420114	56
130006	54	200091	58	209125	53	430061	31
130010	54	200092	58	209129	53	430062	31
130011	54	200093	58	209131	50	430271	31
130012	54	200094	58	209131M	50	430272	31
130013	54	200095	58	209132	51	900003	6
130014	54	200096	58	209134	50	900004	6

INDEX CODE

900005	6	900088	9	900210	9	910056	17
900007	6	900089	9	900211	9	910058	17
900008	6	900090	8	900212	9	910059	17
900010	6	900095	9	900213	9	910060	17
900011	6	900096	9	900214	9	910061	17
900012	6	900097	8	900215	7	910063	17
900013	6	900098	9	900224	8	910064	17
900014	6	900099	9	900238	11	910065	17
900018	6	900100	9	900264	8	910072	16
900019	6	900101	9	900271	6	910072R	16
900020	6	900102	9	900273	6	910073	16
900022	6	900103	8	900274	6	910073R	16
900023	6	900104	8	900275	6	910074	16
900025	6	900105	8	900291	8	910074R	16
900026	6	900106	8	900294	9	910082	15
900027	6	900107	9	900304	6	910082R	15
900028	6	900108	9	910007	14	910083	15
900029	6	900109	9	910007	14	910083R	15
900040	5	900110	9	910008	14	910084	15
900041	5	900111	9	910008	14	910084R	15
900042	5	900112	10	910015	15	910085	15
900043	5	900113	10	910015	16	910089	16
900044	5	900114	10	910016	15	910089R	16
900045	5	900115	10	910016	16	910090	16
900046	5	900116	10	910017	15	910090R	16
900047	5	900117	10	910017	16	910091	16
900048	5	900121	5	910018	15	910091R	16
900049	5	900122	13	910018	16	910095	17
900050	5	900123	10	910019	15	910096	17
900051	5	900124	13	910019	16	910097	17
900052	5	900126	13	910020	15	910098	17
900053	5	900128	13	910020	16	910123	17
900054	5	900129	13	910021	17	910125	17
900055	5	900130	13	910022	17	910126	17
900056	5	900135	11	910025	15	910156R	17
900057	5	900147	10	910026	15	910157	17
900058	5	900148	10	910027	15	910157R	17
900059	5	900149	10	910042	14	910158R	17
900061	6	900150	10	910042R	14	910192	16
900062	7	900151	6	910043	14	910192R	16
900063	7	900167	11	910043R	14	910252R	15
900064	7	900168	11	910044	14	910285R	15
900065	7	900174	11	910044R	14	920000	19
900067	7	900181	11	910045	14	920001	19
900068	7	900182	11	910045R	14	920002	19
900069	7	900186	6	910049	15	920003	19
900070	7	900188	7	910049R	15	920004	19
900073	5	900190	5	910050	15	920006	19
900074	5	900201	8	910050R	15	920007	19
900076	5	900202	8	910051	15	920011	26
900081	6	900203	8	910051R	15	920012	26
900084	8	900207	8	910052	15	920016	26
900085	9	900208	8	910055	17	920017	26
900086	8	900209	8	910055R	17	920018	26

INDEX CODE

920019	26	930030	22	930163	28	950257	39
920020	26	930031	22	950002	31	950258	39
920021	26	930032	22	950003	31	950278	35
920022	26	930033	22	950004	31	950281	37
920023	26	930035	22	950005	31	950283	40
920024	26	930036	22	950006	31	950284	36
920025	21	930038	22	950007	31	950312	42
920026	21	930039	22	950009	32	950313	61
920027	21	930041	29	950010	32	950386	36
920028	26	930042	29	950012	42	950387	36
920029	21	930043	29	950013	43	950388	36
920030	21	930044	29	950014	31	950392	37
920031	21	930045	29	950015	31	950404	40
920032	27	930046	29	950016	32	950405	40
920033	27	930047	29	950017	32	950424	61
920035	27	930049	29	950018	42	950429	34
920036	27	930050	29	950020	42	950437	43
920040	21	930051	29	950021	42	950438	43
920041	21	930052	29	950042	48	950439	43
920042	21	930056	29	950043	48	950440	43
920043	21	930057	29	950044	48	950441	43
920045	20	930058	29	950045	48	950442	43
920046	20	930063	28	950050	43	950443	43
920047	20	930064	28	950052	32	950489	39
920048	20	930065	28	950053	32	950536	37
920049	20	930066	28	950058	34	950537	37
920050	20	930068	28	950059	34	950543	61
920054	20	930071	25	950060	34	950544	62
920055	20	930072	25	950061	34	950545	62
920056	20	930073	25	950062	39	950546	62
920057	20	930080	22	950065	38		
920058	20	930081	22	950065.022	38		
920059	20	930083	22	950066	37		
920077	21	930084	22	950067	37		
920078	21	930085	22	950068	35		
920119	26	930086	22	950069	35		
920120	26	930088	22	950070	35		
920121	26	930089	22	950075	41		
920122	26	930090	22	950078	43		
930004	24	930091	22	950079	35		
930005	24	930092	22	950081	41		
930006	24	930095K	23	950097	61		
930007	24	930096K	23	950099	61		
930008	24	930100	30	950100	61		
930010	24	930101	30	950101	61		
930011	24	930102	30	950102	61		
930016	24	930103	30	950119	62		
930017	24	930104	30	950128	60		
930018	24	930105	30	950130	60		
930022	25	930107	30	950131	60		
930026	22	930108	30	950132	60		
930027	22	930130	29	950223	60		
930028	22	930131	29	950254	60		
930029	22	930135	29	950256	39		



info@kevac.eu
www.kevac.eu