

FS80-90



Maximum savings when cleaning with
extremely compact dimensions

 **FIMAP**[®]
Italian customized cleaning

FS80-90

FS80-90

Suitable for removing the most stubborn dirt on outdoor and indoor surfaces like big stores, squares and car parks up to more than 8,000 sq.m/h

To guarantee maximum driving comfort for the operator at all times and maximum reliability, all the main functions are hydraulic:

- ▶ Traction
- ▶ Lifting and emptying the rubbish container
- ▶ Rotating the brushes
- ▶ Vacuuming dust



FS80-90

Designed with the new Fimap Energy Saver system that increases machine working autonomy up to 4 hours*

+ 35%
energy



The optimisation of consumptions, the use of motors conforming to the strictest EPA standards and reduced absorption minimise the environmental impact of the machine even in the Diesel version

The innovative hydraulic system was designed to increase performances and, compared to the previous model, to reduce energy consumption up to 35%. The result is more autonomy of the machine that can operate up to 4 hours (model FS90 B).

Fimap changed the method of cleaning because, related to sustainability project, battery models work more with less pollution. FS80 B and FS90 B can clean big outdoor and indoor surfaces with zero emissions, reducing drastically environmental impact.

* Battery version with 480 Ah C5 box



FS80-90

The most compact brushes in their segment, created by the FimapSustainableCleaningProject philosophy

FS80-90, like all Fimap's new generation machines, was created according to the FimapSustainableCleaningProject philosophy, the process that allows the development of sustainable products at great prices that give impeccable results from a hygiene point of view and distinguished by higher production, lower production costs, lower consumption and less waste.

This new philosophy - with which new products are designed - also requires that the machines are made with a compact design to minimise their overall dimensions. To reach this goal, FS80-90 sweepers are made with a box frame built around the centre brush which is very compact but also extremely strong.

Thanks to this, FS80-90 is used for cleaning big surfaces as well as small and narrow or cluttered up areas.




FS80-90

Easy to drive and use even for an unskilled operator

The FS80-90 sweepers have been created to make the operator's job comfortable and easy. They have been studied in minimum detail: the driver's seat can be accessed from both sides and the elegant instrument panel allows the operator to have the situation always under control.



- **FS80-90** sweepers are fitted with an innovative instrument panel, like the one you would find in a car, with instant display of all the functions. The innovative steering wheel has been designed to make driving extremely comfortable. The electric filter shaker is also on the control panel, controlled directly by a push button on the instrument panel - to keep the vacuum bag filters clean.



The body with rounded edges and protected by a rubber profile improves sweeper manoeuvrability



FIMAP NO DUST LIFTING SYSTEM

The vacuumed air is discharged through grilles located high up on the machine. This means that none of the dust that has settled on the surface surrounding the machine is lifted, thus guaranteeing excellent cleaning results.



Dump height: 1.4 m

- The front box for collecting dirt has a capacity of: **190 l. (FS80) - 220 l. (FS90),**** and is lifted by a 2-piston hydraulic system operated by the handy control where the driver sits. Vacuuming is operated by a hydraulic motor.

** Measurement ready on the edge of the filter

FS80-90

Designed to offer great accessibility which makes routine maintenance jobs quick and easy to do



- The FS80-90 sweepers are designed to provide maximum access to the engine compartment (in the Diesel version) and to the battery compartment (in the battery version).

Thanks to this accurate study, any type of routine and extraordinary maintenance can be done inside the machine without ever being obstructed. Just the checking of the oil or changing the filters for instance, in the motorised version, are now so extremely easy.

In the B version, the box housing the electrical devices is located centrally to allow a quick and easy check of the fluids and of all the battery elements.

A battery box can be installed with a capacity of up to 480 Ah C5 (FS90 B version).



- The position of the hydraulic filter (10 micron) has been studied to facilitate maintenance operations. A second filter is positioned inside the oil tank.



No maintenance thanks to the periodical use of the electric filter shaker

- A fabric bag filter, with a large filtering surface – 7 sq.m (FS80) – 8 sq.m (FS90) – lasts a very long time, and ensures excellent results even in environments where there is a lot of fine dust, thanks to the power filter shaker. The filter is easy to remove without the use of tools, to check or replace it. No maintenance is required thanks to the periodical use of the electric filter shaker. Filters in fabrics for specific applications are available upon request.

FS80-90

Conceived to guarantee safety and reliability under all conditions of use



The pressure and height adjustment of the central brush

are controlled simply by the knob near the brush. Brush height adjustment depending on wear can, therefore, be done very easily. This ensures a longer brush life cycle.



The side brush retracts in the event of accidental knocks, thus avoiding all possible damage. The brush's slanting angle can be adjusted to better adapt to cleaning along borders, etc.



Besides reducing mechanical stress, the big diameter wheels also make working more comfortable. Operating features remain unaltered thanks to their sturdy support. Both versions are equipped with hydraulically controlled brakes (standard supply).



The suction turbine attached directly on the rubbish container is operated by the hydraulic motor, guaranteeing performance constancy over time.



The central brush is the floating type and self-adjusts to keep in contact with the ground all the time



FS80-90 can work on 20% gradients***

*** For more info please contact our technical assistance service: service@fimap.com

FS80-90 are available in the following versions:

Professional Line



TECHNICAL DESCRIPTION		FS80 B 	FS80 D 	FS90 B 	FS90 D 
Forward speed	km/h	0÷8	0÷8	0÷8	0÷8
Max gradient with empty hopper	%	14	20	14	20
Max gradient with full hopper	%	10	10	10	10
Electric motor	V/W	36/4000	-	36/4000	-
Diesel engine	HP	-	14 (Perkins)	-	20 (Perkins)
Filter shaker motor	V/W	12/110	12/110	12/110	12/110
Suction	m³/h	160 hydraulic	160 hydraulic	160 hydraulic	160 hydraulic
Dump height	mm	1400	1400	1400	1400
Debris hopper capacity	l	190	190	220	220
Filter surface area	m²	7	7	8	8
Batteries	V/Ah C5	36/320	-	36/480	-
Batteries weight	Kg	340	-	500	-

PROFESSIONAL LINE	 Working width (with side brush)	 Number of side brushes/ Ø mm	 Power supply V/ traction	 Central brush width	 Front-mounted hopper	 Rear-mounted hopper	 Type of dumping system	 Working width up to m²/h	 Machine dimensions mm L x H x W	 Machine weight kg (without batteries)
FS80 B	1120	1/500	36/hydraulic	800	•	-	hydraulic	8960	2020-1430-1130	750
FS90 B	1220	1/500	36/hydraulic	900	•	-	hydraulic	9760	2020-1430-1230	770
FS80 D	1120	1/500	-/hydraulic	800	•	-	hydraulic	8960	2020-1430-1130	830
FS90 D	1220	1/500	-/hydraulic	900	•	-	hydraulic	9760	2020-1430-1230	850

 The Fimap sweeping machines are also offered with our factory preventative maintenance program, HAPPY CLEAN.

For any additional information or for a demo please contact your usual Fimap dealer

Dealer's stamp


FIMAP[®]
 Italian customized cleaning
www.fimap.com

Fimap Spa reserves the right, at anytime, to make technical and/or equipment modifications without prior notification.
 The images are shown as reference only and are not binding as to the actual design and/or equipment - Copyright © Fimap 2009
 COD. 301461- 05-2009

An ISO 9001:2000, ISO 14001:2004,
 OHSAS 18001:2007
 Organisation certified by Q.C.B. Italy

FIMAP spa - Via Invalidi del Lavoro, 1 - 37050 S. Maria di Zevio - Verona - Italy
 Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

 **00800-05070000**