

**GMG** *Combinata*




When the most powerful scrubbing machine is  
also the most efficient sweeping machine



**GMG** *Combinata*

The strength of a real sweeping machine combined with the power of a large scrubbing machine



## SCRUBBING MACHINE

For the scrubbing and immediate drying of floors




With a single machine, you can do the work of two, halving the time and costs of each cleaning operation, labour and management

Now, it is no longer necessary to waste time sweeping before scrubbing, or to have two separate machines to carry out the two actions separately.

The GMG Combinata does the work of a sweeping machine and a scrubbing machine in just one pass.

With the GMG Combinata, you can keep your spaces clean and ensure productivity for the price of a single machine, a single operation, and a single operator.



## SWEEPING MACHINE

For sweeping and collecting solid waste



# GMG *Combinata*

Reduce cleaning costs and  
get the greatest return on your  
investment in the short term



## POWER

- Increase productivity, by cleaning with greater power and 30% faster than a conventional model of the same category
- Double productivity, by carrying out the work of a sweeping machine and a scrubbing machine in just one pass
- Increase productivity, by cleaning ramps with slopes up to 20% at full load
- Increase productivity, with the possibility to install batteries of different technologies, from lead acid batteries to advanced lithium-ion ones, which provide up to 7 hours of run time on a single charge
- Increase operator productivity, with enhanced control over tasks provided by the touch screen display and the rear view camera
- Increase operator productivity, providing up to 9 pre-set cleaning programs according to different applications
- Halve costs: by purchasing just one machine that can carry out two types of cleaning in a single operation, you can halve your investment and labour costs

## SPEED

up to **9** km/h  
at work

## PRODUCTIVITY

**+30%**

## GRADEABILITY

slopes up to **20%**  
on duty at full load

## RUN TIME

up to **7** hours







## SIMPLICITY

- Reduce operator training, with on-board video tutorials which show how to perform common operation and maintenance activities
- Increase uptime, with easy and intuitive access to key features through the iD – Intelligent Drive system
- Halve operation time: now, you can collect solid waste and scrub the floor in a single operation
- Enhance control over cleaning results, with pre-set work programs and supervisor controls that ensure proper machine setting and use by the operator
- Reduce service time and cost, with fully accessible design that enables easy and quick servicing

## SUSTAINABILITY

- Reduce the use of resources, saving water, detergent and energy thanks to Fimap sustainable technologies
- Reduce the environmental impact, with constant control of the CO<sub>2</sub> produced
- Reduce water use by up to 66% with FLR – Fimap Long Range technology, which enables you to clean more sq.m with the same amount of resources

FSS

up to **50%**  
reduces water and chemical use by

FLR

up to **66%**  
reduces water and chemical use by

## DURABILITY

- Protect the machine and the facility in which it works, with steel wrap-around bumper and roller bumpers at the 4 corners

## SAFETY

- Increase operator and facility safety, thanks to the array of active and passive safety technologies provided as standard

## CONNECTIVITY

- Increase productivity by tracking performance with Fimap My.Machine app


## CUSTOMIZATION

- Increase productivity, with the GMG Combinata tailored to your specific needs

# GMG *Combinata*







## Why choose an electric machine?

Unlike many models in its class, the GMG Combinata is not powered by an endothermic engine, but rather by batteries. This is a much more efficient solution, due to the fact that there is no energy loss. Combustion engines, which generate heat through the combustion of fuel, inevitably lose much of the energy produced. The energy which remains – the kinetic energy, which makes the machine run and the engine components move – is much less.

In an electric motor, meanwhile, which does not need to warm up to reach maximum revs, the energy generated can all be used immediately, without any dispersion.

The use of an electrical power supply offers unique benefits such as:

- no fuel costs
- zero exhaust emissions
- silent operation
- vibrations reduced to a minimum
- greater safety for the operator
- the versatility of being able to use the machine indoors

The GMG Combinata is also available with lithium batteries, which ensure excellent power deliver and long operating autonomy, for up to 7 hours of continuous work.

A NEW  
GENERATION  
MACHINE  
COMMITTED TO

ZERO  EMISSIONS

**GMG** *Combinata*

A machine designed  
to exceed expectations in  
the most demanding industries



The image shows two blue GMG Combinata floor sweepers in a large, modern industrial warehouse. One sweeper is in the foreground, driven by an operator wearing a hard hat and safety gear. The other sweeper is further back, also operating. The warehouse has a high ceiling with exposed steel beams and industrial lighting. The floor is highly reflective, showing the machines and the operator.

INDUSTRY

LARGE-SCALE  
RETAIL

PARKING LOTS

TRANSPORTATION

EXHIBITION  
CENTERS



In warehouses, logistics centers and production areas, the formation of dust, processing residues and fragments of packaging and pallets is inevitable. It is essential to remove these in order to ensure a healthy and safe working environment, and to enable the productivity of the plant to be maintained.

Normally, any dust and solid dirt must first be removed with a sweeping machine, before scrubbing and drying with a scrubbing machine.

Now, you no longer need two separate machines and two separate cleaning operations in order to achieve the same result: simply use the GMG Combinata. It

carries out the same work as a sweeping machine and a scrubbing machine, but as part of a single operation, thus halving cleaning times and costs.

It also enables staff to go about their normal working activities in complete safety, without any delays or interruptions.

The technology of the GMG Combinata enables optimum ease of use, which is similar to that experienced when interacting with any of today's digital devices.

This ensures that it is easy to use, even in the instance of frequent changes in staff.



LOGISTICS



Accurate details highlight  
the robustness of its design

It stands out for the strength of its design that enhances the sense of protection



## PROTECTION

- **FOR ENVIRONMENTS**  
It blends in perfectly, has no protruding parts
- **FOR THE USER**  
It has a comfortable and safe operator position which enhances visibility and control
- **FOR THE MACHINE ITSELF**  
Long-lasting, rotationally-moulded plastic tanks and a wrap-around steel bumper keep the mechanical components safe.



The front and rear sensors prevent collisions, by alerting the operator when approaching an obstacle






## ● BRUSHLESS MOTORS

Motors without brushes bring several advantages:

- **MORE POWER**,  
which is entirely used avoiding the dispersion that is normally caused by the friction of the brushes
- **GREATER DURABILITY OVER TIME**,  
as they do not generate heat, there is no need for ventilation which can cause damaging seepages
- **COMPACT DESIGN**,  
they leave more space to the volume of the tanks, thus increasing the working autonomy
- **GREATER CONTROL**,  
which being electronic, and not electromechanical, automatically adjusts to the required performance, improving efficiency
- **NO MAINTENANCE**  
and extremely longer life cycle

## ENDURANCE OVER TIME



**GMG** *Combinata*

A comfortable space enables  
the operator to better focus  
on the cleaning task

Every single detail of the driving position is designed to provide the perfect working conditions:  
a roomy seat, easy access to the controls, full control of activities, smooth manoeuvres  
and total visibility of the surrounding space



The Eco Mode device reduces  
the noise level, enabling the  
operator to clean without  
disturbing others in the  
surrounding area





A convenient step helps to sit  
in the driver's seat

Side paddles integrated into the  
steering wheel help the operator  
keep his attention and eyes on the  
driving direction



Comfort driver's seat


The seat, with armrests and headrest,  
is sprung and adjustable, to suit the  
operator's needs, thus improving  
driving comfort

The digital touch screen display creates  
a modern, high-tech environment  
where valuable information is shown  
in high resolution

The side control panel provides easy access to the functions, allowing  
the operator to adjust the settings without getting distracted

Membrane control panel for manoeuvring the solid debris hopper

Integrated USB ports for charging mobile devices



# GMG *Combinata*

Learning how to take care of the GMG Combinata is easy, because the machine itself guides you



OPERATOR  
TRAINING  
VIDEO  
TUTORIALS

They provide essential instructions to perform routine activities and to support the operator when a quick reminder is needed on proper operation and maintenance procedures



MAINTENANCE  
DUE WARNING

When the deadline for the periodic inspection established in the maintenance plan is approaching, a warning appears on the display, giving you plenty of time to arrange your appointment.



USE AND MAINTENANCE MANUAL AND SPARE  
PARTS CATALOGUE


It is possible to read directly from the display the Spare Parts Catalogue and the Use and Maintenance Manual, available in 24 languages. Any doubts concerning the machine can be resolved immediately, thanks to the easy-to-read touch screen display





## SIMPLE ROUTINE MAINTENANCE

### SERVICE LIGHTS



The exclusive lights pack offers increased visibility of the parts which could require operator inspection, illuminating the relative zones with LED lights



### FFF-FIMAP FAST FILL

It enables the solution tank to be filled up quickly without the presence of the operator

### SPRAY GUN


The spray gun enables the cleaning of the recovery tank anywhere, even when there is no available tap nearby, reducing maintenance downtime

### REAR FOOTBOARD

A convenient pull-down footboard at the rear of the machine provides easy access to the tanks and a better view for maintenance activities



### MAINTENANCE TOUCH POINT



### YELLOW COLOUR-CODED PARTS

Parts which must be cleaned regularly at the end of every shift are colour-coded in yellow for easy identification, saving time and making sure that your machine remains in perfect condition at all times



### LARGE DIAMETER HOSES

The large diameter of the drain hoses allows the tanks to be emptied quickly, reducing downtime. The hoses feature a flow adjustment system that enables to choose up to 5 opening sizes in order to adapt the diameter to the flow when emptying the tanks

# GMG *Combinata*



Maximum accessibility to the solution tank for complete cleaning and sanitisation



MAINTENANCE TOUCH POINT



## REPLACEMENT OF THE RUBBER BLADES

All parts where rubber blades are installed are designed to enable quick, easy replacement.

The squeegee can be removed and installed very rapidly



MAINTENANCE TOUCH POINT



The coupling/uncoupling function for the disc brushes is automatic, and is operated via the controls on the instrument panel. It prevents the user from having to carry out this operation manually, increasing safety.



MAINTENANCE TOUCH POINT

Access to the cylindrical brushes is quick and easy, as is removal



MAINTENANCE TOUCH POINT





## EVEN EASIER EXTRAORDINARY MAINTENANCE



The battery compartment opens fully, enabling easy inspection and topping up of the liquid

The functional design of the machine enables full access to the parts that require maintenance, thus reducing operation times and costs.



Once the cover has been lifted, the filter is fully exposed, and can be removed in a few seconds without tools

### Lower maintenance costs

Compared to conventional combustion-powered machines, electric machines do not require an oil tank or a transmission system. Consequently, maintenance is easier and costs are significantly lower.



The sweeping side brushes can be uncoupled easily without tools



MAINTENANCE TOUCH POINT

Handle for locking the hopper in place when it is lifted. This increases the safety of the operator while he/she is working on the machine.

**GMG** *Combinata*

1

THE MOST EFFECTIVE  
SWEEPING MACHINE

**AIR FILTRATION**  
channelled back into the environment

**AUTOMATIC FILTER SHAKER**  
This ensures filter performance is maintained  
over time; shaking the filter regularly prevents  
clogging and extends its life.



**SWEEPING SIDE BRUSHES**  
to channel dirt into  
the central area

**CONTAINER VOLUME**

up to **90** litres

**SWEEPING UNIT**  
for collecting solid waste

Working width of sweeping side brushes

up to **1700** mm

Brush rpm up to **610**

Debris hopper emptying height

up to **1540** mm





PANEL FILTER



CLOTH POCKET FILTER



POCKET FILTER IN **Tetratex**

LIGHT

MEDIUM

HEAVY

TYPE OF  
DIRT

The GMG Combinata is available with a PANEL FILTER for standard applications, or can be ordered with a CLOTH POCKET FILTER for optimal filtration results, even in environments where the presence of fine dust is very high.

Even higher filtration performance can be achieved with the Tetratex® POCKET FILTER. This is made with a microporous expanded PTFE membrane, a highly efficient material that is ideal for particularly difficult applications, such as in areas where minerals, chemical products, pharmaceutical substances and fertilisers are processed, as well as in the food industry.

The Tetratex® membrane has an excellent release capacity, courtesy of its surface filtration technology: once it reaches the surface, dust – even the most adherent – falls down, leaving the filter free and preventing clogging.



## ELECTRICAL HOPPER EMPTYING AT HEIGHT

Hopper emptying takes place automatically without any effort for the operator, who can manoeuvre the waste hopper from the workstation via the instrument panel. The operation is electric, which offers a host of advantages in terms of performance, time and costs over a hydraulic system. Indeed, hydraulic circuits are subject to much more mechanical stress, are also more prone to malfunctions and breakages. They need to be inspected regularly, as do the oils that they contain, which need to be checked and replaced to prevent clogging. Any leaks can compromise the work and damage the environment.



# GMG *Combinata*

## 2

## THE MOST POWERFUL SCRUBBING MACHINE



### DUAL 3-STAGE VACUUM MOTOR

Effective vacuum system which leaves the floor dry with no risk of slipping



The layout of the squeegees helps to collect water and direct it towards the suction point, thus ensuring better drying.

The floor is perfectly dried even in bends, thanks to the lateral movement of the rear squeegee, which always follows the course of the machine



FLR-FIMAP LONG RANGE

PRODUCTIVITY IS INCREASED BY UP TO

+70%

### RUN TIME



with Li-ion batteries

up to **7** hours\*

\* In Eco Mode

### SPEED

up to **10** km/h  
in transfer

up to **9** km/h  
at work

### PRODUCTIVITY

higher productivity than  
competing models in the  
same segment **+30%**





**300**  
litres

SOLUTION  
TANK

**350**  
litres

RECOVERY  
TANK

**SIDE SCRUBBING BRUSH  
WITH VACUUM SYSTEM**



The side brush makes it easy to clean along walls and allows to reach under shelves. It is equipped with vacuum system, a unique innovation not available in any other model in the market, which increases drying performance even on bends

**IT WIDENS THE WORKING WIDTH,  
THUS INCREASING PRODUCTIVITY BY UP TO**

**+20%**



**GREATER CLEANING POWER TO TACKLE THE MOST STUBBORN DIRT**

adjustable brush pressure up to **250 kg**



brush rpm up to **315**


**VACUUM WAND**

Enables cleaning areas that are difficult to reach with the machine and completing the operation every time



# GMG *Combinata*

## Unprecedented power



RAMP UP


### REAR-WHEEL TRACTION WITH 2 INDEPENDENT MOTOR WHEELS

The rear-wheel traction with 2 electronically-controlled independent wheels provides the GMG Combinata with the necessary power to easily drive up ramps of up to 20% whilst working.

In a multistorey car park, the GMG Combinata is therefore able to move easily from one level to another, guaranteeing high-level grip when climbing, along with reliability and maximum control when manoeuvring.







# GMG *Combinata*

## MINIMUM AISLE TURN

**3135** mm

The combination of rear-wheel traction and independent motor wheels enables a small turning circle, which remains within the machine diagonal of 3135 mm. As a result, the space required for manoeuvring is also minimal.

The friction that is usually generated in reversing leads to significant energy consumption, which negatively affects the working autonomy.

The action of the independent rear motor wheels together with the double front wheel on the GMG Combinata considerably reduces the friction produced when steering. This avoids unnecessary energy dispersion, extends battery run time and increases productivity.

## Power steering improves comfort

The power steering makes the steering wheel lighter, increases manoeuvrability and reduces operator fatigue while driving.







#### REAR VIEW CAMERA

Lets the operator monitor cleaning results in real time from the display, without taking his or her eyes off the direction of travel




### FUNCTIONS TO INCREASE POWER

The Power Mode and Heavy Mode functions allow you to get the maximum cleaning power instantly, by activating just one control. Vacuuming power, brush pressure and detergent solution flow rate are raised to the highest level.



#### POWER MODE

A simple touch of the side paddle raises the cleaning functions to the maximum for 120 seconds. This function is effective when the operator finds a small area with adherent dirt during the cleaning operation. In this case, it is useful to temporarily leave the cleaning configuration in use in order to benefit from the maximum cleaning power to remove localised dirt.

 for **120** seconds  
Maximum cleaning power



#### HEAVY MODE

Maximum activation of cleaning functions has no time limits. It is a working mode, suitable for very dirty environments. The operator simply presses the Heavy Mode button to start working at maximum performance for as long as it is needed.



Maximum cleaning power with no time limits!

Get access to more information  
to improve performance,  
enter the digital world of GMG Combinata

## ON-BOARD COMPUTER

With the touch screen display you have access to information that is essential to make more efficient choices and enhance the professionalism of interventions, thus increasing productivity and reducing costs.

Display at any time:



- telemetry to track the energy consumption of the functions



- report of usage time, sq.m. cleaned and liters of water used



- remaining autonomy of batteries and tank, and projection of savings that can be achieved in Eco Mode

## iD-intelligent Drive







The operator is the centre of a high-tech universe, where everything is easy, intuitive and dynamic

All functions and activities are managed from a single interface, where a mere touch of the finger offers access to an extraordinary choice of customizable features to satisfy all types of requirements with extreme simplicity.

The high definition colour display offers the same intuitive experience as a smartphone



Touch screen Display



#### LOG-IN WITH PASSWORD

Protects your investment from unauthorized or improper use



#### REAR VIEW CAMERA

Increases safety during manoeuvres and helps control cleaning performance



#### OPERATOR TRAINING VIDEO TUTORIALS

Reduce training costs, providing quick instructions on how to perform ordinary maintenance operations

9 working programs to achieve the best results with the maximum efficiency



Set your goals: with zone and working programs, you reduce the risk of error, make cleaning operations effective on the first pass and achieve desired results without any uncertainty

## 4 ZONE PROGRAMS

Set up to 4 zones that are frequent on your cleaning sites to help the operator carry out the task properly.

Save the cleaning settings you consider suitable for each zone; once the zone has been selected, the GMG Combinata will start working with the configuration you set





Working programs guide the operator through an intuitive selection of the most suitable cleaning configuration



**5. ECO MODE**

For light maintenance cleaning, where you can use less resources and work with a low noise level



**6. COMFORT MODE**

For ordinary, not heavy-duty cleaning, suitable for daily tasks



**7. DYNAMIC MODE**

For routine cleaning where greater productivity is required, it allows tasks to be done quickly



**8. HEAVY MODE**

For heavy-duty operations, to clean very dirty floors that require high cleaning power



**9. POWER MODE**

For 120 seconds of maximum power, enabling localized dirt to be removed with ease

Some working programs can be selected from either the touch screen display or the membrane keyboard below



# GMG *Combinata*



Connect to your fleet,  
increase productivity  
with the My.Machine app



FIMAP FLEET MANAGEMENT

Track the performance of your fleet easily, through your smartphone, with the My.Machine app. You can see where the machines are located, whether the planned cleaning schedule is being followed, and whether something unexpected has

occurred. Enter the profile of the GMG Combinata and check the list of maintenance activities performed and any issues that have occurred, in order to remain in full control of the situation and keep productivity high.



Manage your fleet remotely with the FFM – Fimap Fleet Management system, use the My.Machine app to access data at any time and don't miss a single detail of the status of your machines



Watch the video



#### INDOOR TRACKING

Tracking of cleaning activities within buildings, to detect which areas have already been cleaned and which are still to be completed.



#### MISSION CONTROL PART PROGRAM

The supervisor can set a weekly cleaning schedule and send it remotely to the machine. This enables the operator to follow the set schedule, ensuring the desired cleaning standards are maintained, and keeping costs low.



#### GEOLOCATION

It shows on a map the machine.



#### USE INFORMATION

It's possible to know in what working mode the machine is operating and for how long. Moreover, it provides information about the duration of each intervention and the sq.m cleaned.



#### HEALTH STATUS

It is possible to monitor the health condition of both machines and batteries at any time, to have a clear view of the fleet availability and optimize its coordination.



#### ENVIRONMENTAL IMPACT

It is possible to see the amount of CO<sub>2</sub> produced by the machine since the beginning of its life cycle.



#### ALARMS

The anomalies occurred are summarized in a list which includes a description of the type of issue, and the date and time of the event. It helps you to have an overview of the improper uses that need to be corrected.



#### SERVICES

An overview of the list of the maintenance services performed allows to identify discrepancies with the health condition of the machine in case an anomaly is detected, and to monitor the inspections of the whole fleet.

# GMG *Combinata*

Greater control during  
cleaning operations  
raises safety standards




ANTI-COLLISION  
SYSTEM

The front and rear anti-collision  
system detects obstacles

The front and rear sensors make two different sounds.  
While the machine is moving the operator can recognise by the sound whether the obstacle is in  
the front or in the rear of the machine.

In the Plus versions, in addition to the sound, the level of approach to the obstacle  
can also be viewed on the display.  
The front sensors are automatically activated when the machine drops below a certain speed  
during forward travel.





## ACTIVE TECHNOLOGIES to prevent accidents

In large spaces where there can be obstacles such as machinery or shelves, the GMG Combinata always ensures full control of the surrounding space, so that the necessary manoeuvres can be carried out in the utmost safety.



REAR VIEW  
CAMERA

Increases the safety of reverse  
manoeuvres



Greater control during cleaning operations raises safety standards

## ACTIVE TECHNOLOGIES to prevent accidents



TOUCH SCREEN  
DISPLAY

Enhances visibility in dim light



STEERING  
WHEEL  
CONTROLS

The steering wheel controls offer the operator even greater control when cleaning, and also improve safety by eliminating distractions and letting the operator keep his or her eyes on the zone ahead of the machine



CRUISE  
CONTROL

Control device letting the operator set the required speed



DESCENT  
CONTROL

Maintains a constant speed when driving downhill, and prevents sudden increases in speed caused by gravity



STOP&GO

The traction control system, which brakes and holds the machine when the accelerator pedal is released, provides assistance for both uphill and downhill gradients



ELECTROBRAKE

Is automatically operated when the machine stops. It works as a safety parking brake




HYDRAULIC  
DRUM BRAKES

Self-adjusting, guaranteeing the best braking performance



ESC - ELECTRONIC  
STABILITY CONTROL

Automatically reduces speed when steering without the operator using the brake







SAFETY BELTS

Protect the operator holding him/her in case of impact



OVERHEAD GUARD

To protect operators working in warehouses and logistics centres



BLUE SAFETY SPOTLIGHT

Warns about the presence of the GMG Combinata when visibility is obstructed by shelves or other equipment, avoiding accidents



LED HEADLIGHTS

Front and rear LED headlights maximize work safety in all conditions



OPERATOR TRAINING VIDEO TUTORIALS

Any questions? The GMG Combinata has all the answers: the video tutorials help the operator in every phase of the job



## PASSIVE SYSTEMS to help the operator in case of emergency



SOS DEVICE

Reduces time to service in case of emergency. The red button sends an sms alert to receive a prompt help, reducing downtimes



EMERGENCY STOP

By pressing a single button the machine stops immediately

# GMG *Combinata*



The GMG Combinata always shows you the advantages of a more eco-friendly option

During the cleaning operation, a prediction of how many resources could be saved by activating Eco Mode is shown on the display. In this way the operator can evaluate, if the dirty conditions allow it, to switch to a cleaning configuration that reduces consumption

The Eco Mode device helps you to not use more resources than necessary. When just a maintenance cleaning is required and dirt is light, you can clean using reduced amounts of water, chemical and energy. By avoiding waste, you can clean more sq.m with less resources

## POCKET FILTER IN **Tetratex**



### START&STOP

When the machine is idle, the brush motor, the vacuum motor, the traction and the water flow will turn off automatically, reducing costs and emissions.

All the functions are reactivated automatically as soon as the operator touches the accelerator again.



The microporous structure of the Tetratex® membrane enables emissions that are close to zero. Particulate matter remains trapped on the filtering surface, thus reducing environmental emissions.





## Choose how to reduce the environmental impact of cleaning operations with Fimap sustainable technologies

### WATER



#### FSS-FIMAP SOLUTION SAVER

The amount of water and chemical are dosed separately

up to **50%**  
It reduces water and chemical use by



#### FLR-FIMAP LONG RANGE

System that recycles the cleaning solution, increasing the working autonomy

up to **66%\***  
It reduces water and chemical use by



#### FWF-FIMAP WATER FLOW

Ensures uniform cleaning results across the entire working width on the first pass, optimising detergent solution consumption

### ENERGY



#### FES-FIMAP ENERGY SAVER

The GMG Combinata is a machine with many functions, each of which is powered by a dedicated motor. Thanks to its careful design, the various motors have been sized to optimise energy consumption, whilst offering the best performance and maximum efficiency.

up to **35%**  
It reduces energy consumption by

\* Per cleaning operation. Saving calculated on a triple recycling cycle

**GMG** *Combinata*

Choose the version

Membrane control  
panel





that meets your needs



Touch screen  
display



PLUS

Customize your machine with the most suitable accessories for your industry

## OPTIONALS



Vacuum wand



Spray gun



Adjustable Comfort seat complete with armrests and safety belt



Super elastic front and rear wheels



FFF-FIMAP FAST FILL



Side scrubbing brush with vacuum system



FFM-FIMAP FLEET MANAGEMENT




Service LED lights



Overhead guard



BLUE SAFETY SPOTLIGHT



Anti-collision system (front - rear)



USB ports for charging mobile devices





FSS-FIMAP SOLUTION SAVER



FLR-FIMAP LONG RANGE



Antibacterial tanks help inhibit the growth of bacteria and mold



The cloth pocket filter increases filtering performance in dusty environments



With the Tetratex® pocket filter, high filtration efficiency is achieved, even in the most demanding environments in specific industries

## ACCESSORIES



CENTRAL BRUSHES  
FOR THE SCRUBBING UNIT



SIDE BRUSHES  
FOR THE SCRUBBING UNIT



CENTRAL BRUSHES  
FOR THE SWEEPING UNIT



SIDE BRUSHES  
FOR THE SWEEPING UNIT

A selection of disc or cylindrical brushes is offered for dealing with any type of dirt on any floor

Abrasive brushes:

Suitable for heavy-duty cleaning of industrial floors

The application of a pad holder allows the use of various types of pads according to the treatment to be performed



### REAR SQUEEGEE RUBBER BLADES

33 SHORE (PARA): For maintenance cleaning of smooth floors

40 SHORE (PARA): For stubborn dirt on floors with joints

POLYURETHANE: For heavy-duty cleaning and collecting oil on industrial floors

LINATEX™: Suitable for all surfaces from smooth to uneven, they provide excellent performance because they are more resistant to wear, temperature changes and use of aggressive chemicals

## OPTIONAL AND STANDARD EQUIPMENT

USER EXPERIENCE	GMG Combinata Pro	GMG Combinata Plus
iD-Intelligent Drive:	-	*
- 9 inch high resolution color touch screen	-	*
- Log-in with password	-	*
- Zone programs	*	*
- Cruise control	*	*
- Eco Mode	*	*
- Comfort Mode	-	*
- Dynamic Mode	-	*
- Heavy Mode	-	*
- Power Mode	-	*
- Power	*	-
- Digital solution level indicator	-	*
- Rear view camera	-	*
- Anti-collision system (front - rear)	o	*
- Operator training video tutorials	-	*
- User manuals in 24 languages	-	*
- On-board computer (odometer, telemetry, report of the last cleaning intervention, remaining autonomy)	-	*
- Maintenance due warning	*	*
- Membrane keyboard with work mode selector	-	*
Membrane keyboard for manoeuvring the sweeping unit debris hopper	*	*
Membrane control panel	*	-
<b>COMFORT</b>		
Hour meter	*	*
Cleaning solution level indicator	*	*
Fresh water empty tank light	*	*
Vacuum wand	o	o
Spray gun	o	o
Basic seat	*	-
Adjustable Comfort seat complete with armrests and safety belt	o	*
FFF (Fimap Fast Fill)	o	o
Automatic coupling/uncoupling of the central brushes in the brush head	*	*
Noiseless suction	*	*
Brush and squeegee actuator	*	*
Power steering	*	*
Super elastic wheels	o	o
Rear footboard for easy maintenance	*	*
USB ports for charging mobile devices	o	*
Electrical debris hopper emptying at height	*	*
<b>PRODUCTIVITY</b>		
Water flow selector	*	*
Triple pressure selector	-	*
Extra pressure	*	*
Vacuum speed selector	*	*
Side scrubbing brush with vacuum system	o	o
Sweeping side brushes	*	*
2 3-stage vacuum motors	*	*
FFM (Fimap Fleet Management) with SOS device, mission control part program and indoor tracking	o	o
Squeegee with anti-corrosion treatment	*	*
Side splash guards	*	*
Rear-wheel traction with 2 independent motor wheels	*	*
Brushless motors (traction, brushes, vacuum)	*	*
Batteries with automatic refilling system	o	o
Ramp up	*	*
Automatic filter shaker	*	*
Road type-approval (front/rear number plate holder, front/rear lights, direction indicators, rear view mirrors and blinking light)	o	o
<b>SAFETY</b>		
Blinking light	*	*
Driving LED lights (front-rear)	*	*
Service LED lights	o	*
Stop&Go	*	*
Descent control	*	*
ESC (Electronic Stability Control)	*	*
Emergency Stop	*	*
Overhead guard	o	o
Antibacterial tanks	o	o
Blue safety spotlight	o	o
Hydraulic rear drum brakes	*	*
Electrobrake	*	*
<b>ENVIRONMENT</b>		
Panel filter	*	*
Cloth pocket filter**	o	o
Tetratex® pocket filter**	o	o
FSS (Fimap Solution Saver)*	o	o
FLR (Fimap Long Range)*	o	o
FWF (Fimap Water Flow)	*	*
FES (Fimap Energy Saver)	*	*
Start&Stop	*	*

(\*) The devices cannot be installed together (\*\*) The filters cannot be installed together


• STANDARD

o UPON REQUEST

- NOT AVAILABLE



## DIMENSIONS AND TECHNICAL DATA



TECHNICAL DATA – GMG Combinata		GMG Combinata Pro	GMG Combinata Plus
Productivity theoretical	up to sqm/h	17000	
Estimated coverage	up to sqm/h	15300	
SCRUBBING SYSTEM			
Working width with disc brushes	mm	1000	
Working width with side brushes	(no.) mm	(1) 1200	
Brush motors (central/side)	(no.) V/W	(2) 36/1500 – (1) 36/250	
Brush RPM (central/side)	rpm	315/140	
Brush pressure	up to kg	250	
SWEEPING SYSTEM			
Working width with cylindrical brushes	mm	850	
Working width with side brushes	(no.) mm	(2) 1700	
Brush motors (central/side)	(no.) V/W	(2) 36/1000 – (2) 36/300	
Brush rpm (central / side)	rpm	610/105	
TANK AND RECOVERY SYSTEM			
Solution tank	l	300	
Recovery tank	l	350	
Suction motor	V/W	(2) 36/600	
Vacuum water lift	mbar	200	
Detergent tank capacity (FSS)	l	32	
Maximum volume of the debris hopper	l	90	
BATTERIES			
Supply/traction	V	36/aut.	
Batteries	(no.)	(1) 36/510-625-775 WET – 38,4/720 Li-ion	
Battery run time*	up to h	6 (WET) – 7 (Li-ion) *	
PROPELLING SYSTEM			
Forward working speed	km/h	9	
Transport speed	km/h	10	
Gradeability (Working / Transport at gross weight / Trailer ramp empty)	%	20	
Traction motor	(no.) V/W	(2) 36/3300	
SPECIFICATIONS			
Machine dimensions (L x h x w)	mm	2965	
		1555	
		1525	
Squeegee width	mm	1350	
Machine weight empty without batteries	kg	1475	
Machine weight empty with batteries	kg	2250	
GVW (Gross Vehicle Weight)	kg	2745	
Sound pressure level (ISO 11201) – L <sub>A</sub> – Eco Mode	dB (A)	71,5	
Minimum aisle turn	mm	3135	

\*Run times are based on continuous scrubbing run times  
Machine weights are calculated on the basis of a standard reference model

## SERVICES

### CONSULTING AND PLANNING



We put our experience at your service, to help you realize the cleaning project perfect you. We suggest you the best solutions to make costs decrease and service quality increase.

### SETUP



We can help you set up your machines in order to make them meet specifically the requirements of the sites of your project, allowing you to always have control over costs and results.

### AUTHORIZED WORKSHOP NETWORK



Fimap Authorized Workshop network spans the globe, so you can enjoy the peace of mind of finding a professional support wherever your business is.

### CONFIGURATION



Your business is unique, only a customized fleet can lead you to better results. We will help you find the configurations that best fit the specific requirements of your cleaning sites, in order to optimize processes and lower costs.

### TRAINING COURSES



Fimap Academy offers courses for all levels, from the correct use of machines and technologies, up to the management of sites and tenders, helping you to make your service really competitive.

### MAINTENANCE AND REPAIR



For your business to run smoothly it is essential that your machines are kept always operational. Our technicians take care of monitoring the machines health status and know how to intervene quickly and effectively when needed.

### FINANCIAL SOLUTIONS



You can choose to use the fleet in different ways. We can advise you on the best financial solution for your business, so that you can get the quality of the Fimap world at the most convenient conditions for you.

### DIGITAL FLEET MANAGEMENT SYSTEM



With Fimap Fleet Management everything is under your control. You can have a complete overview of the service provided and find out the improvements that can be made, basing your considerations on real data, always available via the MyMachine app or FFM website.

### GENUINE SPARE PARTS



Get the most out of your machines, choose the reliability of Fimap original spare parts. They are designed together with the machines, so they perfectly fit them thus guaranteeing the highest quality of performance.

### CERTIFICATIONS



### AWARDS



For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy - Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: [contact@fimap.com](mailto:contact@fimap.com)



Fimap Spa reserves the right, at any time, to make technical and/or equipment modifications without prior notification. The images are shown as reference only and are not binding with regard to the actual design and/or equipment - Copyright © Fimap 2022 - COD. 302961 - MA - 11-2022